Journal of Biomedical Materials Research
Author Index—Volume 37

Allémann, E.
—; Gravel, P.; Leroux, J.-C.; Balant, L.; Gurny, R.: Kinetics of blood component adsorption on poly(D,L-lactic acid) nanoparticles: Evidence of complement C3 component involvement, 229
Ando, H. See Suzuki, M., 252
Araújo, C. A. C. A. See Carvalho, T. L. L., 449
Asakura, T. See Suzuki, K., 261
Asaoka, K. See Miyamoto, Y., 457
Ayukawa, Y. See Takeshita, F., 235

Bachus, K. N. See Hutchinson, D. T., 94
Balant, L. See Allémann, E., 229
Bateman, T. A. See Roedersheimer, M. T., 276
Bellobono, I. R. See D'Ambrosio, A., 566
Bendall, S. P. See Price, N., 394
Bernache-Assolant, D. See Hott, M., 508
Blaha, J. D. See Norman, T. L., 151
Blezer, R.
—; Fouache, B.; Willems, G. M.; Lindhout, T.: Activation of blood coagulation at heparin-coated surfaces, 108
Bobyn, J. D. See Bourassa, P. L., 291
Bonfield, W. See Deb, S., 465
Boulekbache, H. See Loty, C., 137
Bouler, J.-M. See Yamada, S., 346
Bourassa, P. L.
—; Yue, S.; Bobyn, J. D.: The effect of heat treatment on the fatigue strength of microknurled Ti-6Al-4V, 291
Brady, K. See Koh, E. T., 432
Branger, A. B. See Rezania, A., 9
Brash, J. L. See Cornelius, R. M., 314
Brentegani, L. G. See Carvalho, T. L. L., 449
Brink, M.
—; Turunen, T.; Happonen, R.-P.; Yli-Urpo, A.: Compositional dependence of bioactivity of glasses in the system Na_2O-K_2O-MgO-CaO-B_2O_3-P_2O_5-SiO_2, 114

Carvalho, T. L. L.
—; Teófilo, J. M.; Araújo, C. A. C. A.; Brentegani, L. G.: Chronology of alveolar healing following immediate implantation of *Ricinus communis* polyurethane resin: Histometric analysis in rats, 449
Cassinelli, C. See Morra, M., 198
Cebollada, F. See González-Carrasco, J. L., 453
Chang, E. See Yang, C. Y., 335
Chang, Y.-S.
—; Oka, M.; Gu, H.-O.; Kobayashi, M.; Toguchida, J.; Nakamura, T.; Hayami, T.: Histologic comparison of tibial articular surfaces against rigid materials and artificial articular cartilage, 51
Chen, P. Q. See Yang, C. Y., 335
Chu, C. C. See Slivka, M. A., 353
Côte, M.-F. See Doillon, C. J., 212
Conti, A. See Radin, S., 363
Cornelius, R. M.
—; Brash, J. L.: Effect of single-chain and two-chain high molecular weight kininogen on adsorption of fibrinogen from binary mixtures to glass and sulfonated polyurethane surfaces, 314
Couturier, C. See Honiger, J., 548
Cristina, M. C. See González-Carrasco, J. L., 453

D'Ambrosio, A.
—; Rebulla, P.; Revelli, N.; Morelati, F.; Marangoni, F.; Sirchia, G.; Bellobono, I. R.: Use of photografting technique for the immobilization of blood-grouping antibodies onto microtiter plates, 566
Daculsi, G. See Yamada, S., 346
Dallaire, N. See Doillon, C. J., 212
de Ruijter, J. E. See den Braber, E. T., 539
Deb, S.
—; Vazquez, B.; Bonfield, W.: Effect of crosslinking agents on acrylic bone cements based on poly(methylmethacrylate), 465
den Braber, E. T.
—; de Ruijter, J. E.; Jansen, J. A.: The effect of a subcutaneous silicone rubber implant with shallow surface microgrooves on the surrounding tissues in rabbits, 539
Dohi, Y. See Okumura, M., 122
Doi, K.
—; Matsuda, T.: Significance of porosity and compliance of microporous, polyurethane-based microarterial vessel on neoarterial wall regeneration, 573
Doillon, C. J.
—; Drouin, R.; Côte, M.-F.; Dallaire, N.; Pageau, J.-F.; Laroche, G.: Chemical inactivators as sterilization agents for bovine collagen materials, 212
Downton, N. A. See Pidaparti, R. M. V., 161
Drouin, R. See Doillon, C. J., 212
Ducheyne, P. See Marcolongo, M., 440
—; See Radin, S., 363

Elgue, G. See Sánchez, J., 37
Eriksson, C.
—Nygren, H.: The initial reactions of graphite and gold with blood, 130

Ford, T. R. P. See Koh, E. T., 432
Forest, N. See Loty, C., 137
Fouache, B. See Blezer, R., 108
Frondoza, C. See Price, N., 394

Journal of Biomedical Materials Research
Author Index—Volume 37

Allémann, E.
—; Gravel, P.; Leroux, J.-C.; Balant, L.; Gurny, R.: Kinetics of blood component adsorption on poly(D,L-lactic acid) nanoparticles: Evidence of complement C3 component involvement, 229
Ando, H. See Suzuki, M., 252
Araújo, C. A. C. A. See Carvalho, T. L. L., 449
Asakura, T. See Suzuki, K., 261
Asaoka, K. See Miyamoto, Y., 457
Ayukawa, Y. See Takeshita, F., 235

Bachus, K. N. See Hutchinson, D. T., 94
Balant, L. See Allémann, E., 229
Bateman, T. A. See Roedersheimer, M. T., 276
Bellobono, I. R. See D'Ambrosio, A., 566
Bendall, S. P. See Price, N., 394
Bernache-Assolant, D. See Hott, M., 508
Blaha, J. D. See Norman, T. L., 151
Blezer, R.
—; Fouache, B.; Willems, G. M.; Lindhout, T.: Activation of blood coagulation at heparin-coated surfaces, 108
Bobyn, J. D. See Bourassa, P. L., 291
Bonfield, W. See Deb, S., 465
Boulekbache, H. See Loty, C., 137
Bouler, J.-M. See Yamada, S., 346
Bourassa, P. L.
—; Yue, S.; Bobyn, J. D.: The effect of heat treatment on the fatigue strength of microknurled Ti-6Al-4V, 291
Brady, K. See Koh, E. T., 432
Branger, A. B. See Rezania, A., 9
Brash, J. L. See Cornelius, R. M., 314
Brentegani, L. G. See Carvalho, T. L. L., 449
Brink, M.
—; Turunen, T.; Happonen, R.-P.; Yli-Urpo, A.: Compositional dependence of bioactivity of glasses in the system Na_2O-K_2O-MgO-CaO-B_2O_3-P_2O_5-SiO_2, 114

Carvalho, T. L. L.
—; Teófilo, J. M.; Araújo, C. A. C. A.; Brentegani, L. G.: Chronology of alveolar healing following immediate implantation of *Ricinus communis* polyurethane resin: Histometric analysis in rats, 449
Cassinelli, C. See Morra, M., 198
Cebollada, F. See González-Carrasco, J. L., 453
Chang, E. See Yang, C. Y., 335
Chang, Y.-S.
—; Oka, M.; Gu, H.-O.; Kobayashi, M.; Toguchida, J.; Nakamura, T.; Hayami, T.: Histologic comparison of tibial articular surfaces against rigid materials and artificial articular cartilage, 51
Chen, P. Q. See Yang, C. Y., 335
Chu, C. C. See Slivka, M. A., 353
Côte, M.-F. See Doillon, C. J., 212
Conti, A. See Radin, S., 363
Cornelius, R. M.
—; Brash, J. L.: Effect of single-chain and two-chain high molecular weight kininogen on adsorption of fibrinogen from binary mixtures to glass and sulfonated polyurethane surfaces, 314
Couturier, C. See Honiger, J., 548
Cristina, M. C. See González-Carrasco, J. L., 453

D'Ambrosio, A.
—; Rebulla, P.; Revelli, N.; Morelati, F.; Marangoni, F.; Sirchia, G.; Bellobono, I. R.: Use of photografting technique for the immobilization of blood-grouping antibodies onto microtiter plates, 566
Daculsi, G. See Yamada, S., 346
Dallaire, N. See Doillon, C. J., 212
de Ruijter, J. E. See den Braber, E. T., 539
Deb, S.
—; Vazquez, B.; Bonfield, W.: Effect of crosslinking agents on acrylic bone cements based on poly(methylmethacrylate), 465
den Braber, E. T.
—; de Ruijter, J. E.; Jansen, J. A.: The effect of a subcutaneous silicone rubber implant with shallow surface microgrooves on the surrounding tissues in rabbits, 539
Dohi, Y. See Okumura, M., 122
Doi, K.
—; Matsuda, T.: Significance of porosity and compliance of microporous, polyurethane-based microarterial vessel on neoarterial wall regeneration, 573
Doillon, C. J.
—; Drouin, R.; Côte, M.-F.; Dallaire, N.; Pageau, J.-F.; Laroche, G.: Chemical inactivators as sterilization agents for bovine collagen materials, 212
Downton, N. A. See Pidaparti, R. M. V., 161
Drouin, R. See Doillon, C. J., 212
Ducheyne, P. See Marcolongo, M., 440
—; See Radin, S., 363

Elgue, G. See Sánchez, J., 37
Eriksson, C.
—Nygren, H.: The initial reactions of graphite and gold with blood, 130

Ford, T. R. P. See Koh, E. T., 432
Forest, N. See Loty, C., 137
Fouache, B. See Blezer, R., 108
Frondoza, C. See Price, N., 394

Fujishima, A. See Suzuki, M., 252
Fujita, H. See Kobayashi, M., 68

Gemmell, C. H.
—; Yeo, E. L.; Sefton, M. V.: Flow cytometric analysis of material-induced platelet activation in a canine model: Elevated microparticle levels and reduced platelet life span, 176
—; A flow cytometric immunoassay to quantify adsorption of complement activation products (iC3b, C3d, SC5b-9) on artificial surfaces, 474
Gilbert, J. L. See Goldberg, J. R., 421
Goebbels, D. See van der Heiden, A. P., 282
Goldberg, J. R.
—; Gilbert, J. L.: Electrochemical response of CoCrMo to high-speed fracture of its metal oxide using an electrochemical scratch test method, 421
Goldman, M.
—; Lee, M.; Gronsky, R.; Pruitt, L.: Oxidation of ultrahigh molecular weight polyethylene characterized by Fourier transform infrared spectrometry, 43
Goldschmidt, P. See Honiger, J., 548
González-Carrasco, J. L.
—; Cebollada, F.; Cristina, M. C.; González-Doncel, G.: On the magnetic behavior of the MA 956 superalloy, 453
González-Doncel, G. See González-Carrasco, J. L., 453
Gratzer, P. F.
—; Lee, J. M.: Altered mechanical properties in aortic elastic tissue using glutaraldehyde/solvent solutions of various dielectric constant, 497
Gravel, P. See Allémann, E., 229
Gref, R. See Sunzel, B., 20
Gronsky, R. See Goldman, M., 43
Gruen, T. A. See Norman, T. L., 151
Gu, H.-O. See Chang, Y.-S., 51
Gurny, R. See Allémann, E., 229

Hallmans, G. See Sunzel, B., 20
Hang, Y. S. See Yang, C. Y., 335
—; See Sun, J.-S., 324
Happonen, R.-P. See Brink, M., 114
Hayakawa, T. See Yoshinari, M., 60
Hayami, T. See Chang, Y.-S., 51
Healy, K. E. See Rezania, A., 9
—; See Thomas, C. H., 81
Hench, L. L. See West, J. K., 585
Heymann, D. See Yamada, S., 346
Hisamitsu, H. See Suzuki, M., 252
Hoglin, D. P. See Jacob, R. J., 489
Honiger, J.
—; Couturier, C.; Goldschmidt, P.; Maillet, F.; Kazatchkine, M. D.; Laroche, L.: New anionic polyelectrolyte hydrogel for corneal surgery, 548
Hott, M.
—; Noel, B.; Bernache-Assolant, D.; Rey, C.; Marie, P. J.: Proliferation and differentiation of human trabecular osteoblastic cells on hydroxyapatite, 508
Hsu, C.-S. See Sung, H.-W., 376
Hsu, H.-L. See Sung, H.-W., 376
Hungerford, D. S. See Price, N., 394
Hunt, J. A. See Rhodes, N. P., 481
Hutchinson, D. T.
—; Savory, K. M.; Bachus, K. N.: Crack-growth properties of various elastomers with potential application in small joint prostheses, 94

Ichihara, I. See Kawai, N., 1
Iida, H. See Kobayashi, M., 68
Ikada, Y. See Kamei, S., 384
—; See Tomihata, K., 243
—; See Yamamoto, M., 29
Imanishi, Y. See Li, J.-S., 190
Ippolito, K. M. L. See Naim, J. O., 534
Ishikawa, K. See Miyamoto, Y., 457
Ito, Y. See Li, J.-S., 190
Itoh, K. See Suzuki, M., 252
Iyama, S. See Takeshita, F., 235

Jacob, J. T.
—; Lin, J. J.; Mikal, S. P.: Synthetic scleral reinforcement materials. III. Changes in surface and bulk physical properties, 525
Jacob, R. J.
—; Pienkowski, D.; Hoglin, D. P.; Saum, K. A.; Kaufer, H.; Nicholls, P. J.: Molecular anatomy of freeze-fractured ultra-high-molecular-weight polyethylene as determined by low-voltage scanning electron microscopy, 489
Jansen, J. A. See den Braber, E. T., 539
—; See Yoshinari, M., 60
Jenkins, M. L. See Thomas, C. H., 81
Jinnah, R. H. See Price, N., 394
Johansson, A. See Sunzel, B., 20

Kamei, S.
—; Tomita, N.; Tamai, S.; Kato, K.; Ikada, Y.: Histologic and mechanical evaluation for bone bonding of polymer surfaces grafted with a phosphate-containing polymer, 384
Kato, K. See Kamei, S., 384
—; See Yamamoto, M., 29
Katuda, T. See Okumura, M., 122
Kaufer, H. See Jacob, R. J., 489
Kaufmann, P. M. See Mooney, D. J., 413
Kawai, N.
—; Niwa, S.; Sato, M.; Sato, Y.; Suwa, Y.; Ichihara, I.: Bone formation by cells from femurs cultured among three-dimensionally arranged hydroxyapatite granules, 1
Kazatchkine, M. D. See Honiger, J., 548
Kikutani, T. See Kobayashi, M., 301
—; See Kobayashi, M., 68
—; See Kobayashi, M., 554
Kim, H.-M. See Yan, W.-Q., 267
Klitzman, B. See Sharkawy, A. A., 401
Kobayashi, M.
—; Nakamura, T.; Tamura, J.; Iida, H.; Fujita, H.; Kokubo, T.; Kikutani, T.: Mechanical and biological properties of bioactive bone cement containing silica glass powder, 68
—; Nakamura, T.; Tamura, J.; Kokubo, T.; Kikutani, T.: Bioactive bone cement: Comparison of AW-GC filler with hydroxyapatite and β-TCP fillers on mechanical and biological properties, 301
—; Kikutani, T.; Kokubo, T.; Nakamura, T.: Direct bone formation on alumina bead composite, 554
—; See Chang, Y.-S., 51
—; See Yan, W.-Q., 267
Kobayashi, T.
—; Okada, K.; Kuroda, T.; Sato, K.: Osteogenic cell cytotoxicity and biomechanical strength of the new ceramic Diopside, 100
Koerten, H. K. See Okumura, M., 122
Koh, E. T.
—; Torabinejad, M.; Ford, T. R. P.; Brady, K.; McDonald, F.: Mineral trioxide aggregate stimulates a biological response in human osteoblasts, 432
Kokubo, T. See Kobayashi, M., 301
—; See Kobayashi, M., 554

—; See Kobayashi, M., 68
—; See Loty, C., 137
—; See Yan, W.-Q., 267
Kon, M. See Miyamoto, Y., 457
Koole, L. H. See van der Heiden, A. P., 282
Kuroda, T. See Kobayashi, T., 100

LaCourse, W. C. See Marcolongo, M., 440
Langer, R. See Mooney, D. J., 413
Laroche, G. See Doillon, C. J., 212
Laroche, L. See Honiger, J., 548
Latour, R., Jr. See West, J. K., 585
Lee, J. M. See Gratzer, P. F., 497
Lee, M. See Goldman, M., 43
Lee, T. M. See Yang, C. Y., 335
Leroux, J.-C. See Allémann, E., 229
Li, J.-S.
—; Ito, Y.; Zheng, J.; Takahashi, T.; Imanishi, Y.: Enhancement of artificial juxtacrine stimulation of insulin by co-immobilization with adhesion factors, 190
Liao, C.-J. See Sun, J.-S., 324
Lin, F.-H. See Sun, J.-S., 324
Lin, J. J. See Jacob, J. T., 525
Lin, R. M. See Yang, C. Y., 335
Lindhout, T. See Blezer, R., 108
Liu, H.-C. See Sun, J.-S., 324
Loty, C.
—; Forest, N.; Boulekbache, H.; Kokubo, T.; Sautier, J. M.: Behavior of fetal rat chondrocytes cultured on a bioactive glass-ceramic, 137

Maillet, F. See Honiger, J., 548
Maincent, P. See Ubrich, N., 155
Majahod, K. See Mooney, D. J., 413
Marangoni, F. See D'Ambrosio, A., 566
Marcolongo, M.
—; Ducheyne, P.; LaCourse, W. C.: Surface reaction layer formation *in vitro* on a bioactive glass fiber/polymeric composite, 440
Marie, P. J. See Hott, M., 508
Matsuda, T. See Doi, K., 573
McDonald, F. See Koh, E. T., 432
McFarland, C. D. See Thomas, C. H., 81
Merril, B. A. See Pidaparti, R. M. V., 161
Mikal, S. P. See Jacob, J. T., 525
Miyaji, F. See Yan, W.-Q., 267
Miyamoto, Y.
—; Ishikawa, K.; Takechi, M.; Toh, T.; Yoshida, Y.; Nagayama, M.; Kon, M.; Asaoka, K.: Tissue response to fast-setting calcium phosphate cement in bone, 457
Miyazaki, T. See Suzuki, M., 252
Mooney, D. J.
—; Sano, K.; Kaufmann, P. M.; Majahod, K.; Schloo, B.; Vacanti, J. P.; Langer, R.: Long-term engraftment of hepatocytes transplanted on biodegradable polymer sponges, 413
Morelati, F. See D'Ambrosio, A., 566
Morra, M.
—; Cassinelli, C.: Organic surface chemistry on titanium surfaces via thin film deposition, 198
Murai, K. See Takeshita, F., 235

Nagayama, M. See Miyamoto, Y., 457
Naim, J. O.
—; Ippolito, K. M. L.; van Oss, C. J.: Adjuvancy effect of different types of silicone gel, 534
Nakahara, M. See Suzuki, M., 252
Nakai, H. See Suzuki, K., 261
Nakamura, T. See Chang, Y.-S., 51
—; See Kobayashi, M., 301
—; See Kobayashi, M., 554
—; See Kobayashi, M., 68
—; See Yan, W.-Q., 267
Nemoto, K. See Suzuki, K., 261
—; See Yoshinari, M., 60
Ngondi, J. See Ubrich, N., 155
Nicholls, P. J. See Jacob, R. J., 489
Nishiyama, N. See Suzuki, K., 261
Niwa, S. See Kawai, N., 1
Noel, B. See Hott, M., 508
Norman, T. L.
—; Williams, M.; Gruen, T. A.; Blaha, J. D.: Influence of delayed injection time on the creep behavior of acrylic bone cement, 151
Nygren, H. See Eriksson, C., 130

Ohgushi, H. See Okumura, M., 122
Oka, M. See Chang, Y.-S., 51
Okada, K. See Kobayashi, T., 100
Okumura, M.
—; Ohgushi, H.; Dohi, Y.; Katuda, T.; Tamai, S.; Koerten, H. K.; Tabata, S.: Osteoblastic phenotype expression on the surface of hydroxyapatite ceramics, 122
Olsson, P. See Sánchez, J., 37
Ott, D. See Pulfer, S. K., 182

Pageau, J.-F. See Doillon, C. J., 212
Pfister, M. See Ubrich, N., 155
Pidaparti, R. M. V.
—; Merril, B. A.; Downton, N. A.: Fracture and material degradation properties of cortical bone under accelerated stress, 161
Pienkowski, D. See Jacob, R. J., 489
Pijpers, A. P. See van der Heiden, A. P., 282
Prager, M. D.
—; Quintana, R. P.: Radiochemical studies on contact lens soilation. II. Lens uptake of cholesteryl oleate and dioleoyl phosphatidylcholine, 207
Price, N.
—; Bendall, S. P.; Frondoza, C.; Jinnah, R. H.; Hungerford, D. S.: Human osteoblast-like cells (MG63) proliferate on a bioactive glass surface, 394
Pruitt, L. See Goldman, M., 43
Puleo, D. A.
—; Retention of enzymatic activity immobilized on silanized Co-Cr-Mo and Ti-6Al-4V, 222
Pulfer, S. K.
—; Ott, D.; Smith, D. J.: Incorporation of nitric oxide–releasing crosslinked polyethyleneimine microspheres into vascular grafts, 182

Quintana, R. P. See Prager, M. D., 207

Radin, S.
—; Ducheyne, P.; Rothman, B.; Conti, A.: The effect of *in vitro* modeling conditions on the surface reactions of bioactive glass, 363
Rebulla, P. See D'Ambrosio, A., 566
Reichert, W. M. See Sharkawy, A. A., 401
Revelli, N. See D'Ambrosio, A., 566
Rey, C. See Hott, M., 508
Rezania, A.
—; Thomas, C. H.; Branger, A. B.; Waters, C. M.; Healy, K. E.: The detachment strength and morphology of bone cells contacting materials modified with a peptide sequence found within bone sialoprotein, 9
—; See Thomas, C. H., 81
Rhodes, N. P.
—; Hunt, J. A.; Williams, D. F.: Macrophage subpopulation differentiation by stimulation with biomaterials, 481
Riesenfeld, J. See Sánchez, J., 37
Rivat, C. See Ubrich, N., 155

Roedersheimer, M. T.
—; Bateman, T. A.; Simske, S. J.: Effect of gravity and diffusion interface proximity on the morphology of collagen gels, 276
Rothman, B. See Radin, S., 363

Sánchez, J.
—; Elgue, G.; Riesenfeld, J.; Olsson, P.: Inhibition of the plasma contact activation system of immobilized heparin: Relation to surface density of functional antithrombin binding sites, 37
Sano, K. See Mooney, D. J., 413
Sato, K. See Kobayashi, T., 100
Sato, M. See Kawai, N., 1
Sato, Y. See Kawai, N., 1
Saum, K. A. See Jacob, R. J., 489
Sautier, J. M. See Loty, C., 137
Savory, K. M. See Hutchinson, D. T., 94
Schloo, B. See Mooney, D. J., 413
Sefton, M. V. See Gemmell, C. H., 176
Sharkawy, A. A.
—; Klitzman, B.; Truskey, G. A.; Reichert, W. M.: Engineering the tissue which encapsulates subcutaneous implants. I. Diffusion properties, 401
Simske, S. J. See Roedersheimer, M. T., 276
Sirchia, G. See D'Ambrosio, A., 566
Slivka, M. A.
—; Chu, C. C.: Fiber-matrix interface studies on bioabsorbable composite materials for internal fixation of bone fractures. II. A new method using laser scanning confocal microscopy, 353
Smith, D. J. See Pulfer, S. K., 182
Söderberg, T. A. See Sunzel, B., 20
Steele, J. G. See Thomas, C. H., 81
Suetsugu, T. See Takeshita, F., 235
Sun, J.-S.
—; Tsuang, Y.-H.; Liao, C.-J.; Liu, H.-C.; Hang, Y.-S.; Lin, F.-H.: The effects of calcium phosphate particles on the growth of osteoblasts, 324
Sung, H.-W.
—; Hsu, H.-L.; Hsu, C.-S.: Effects of various chemical sterilization methods on the crosslinking and enzymatic degradation characteristics of an epoxy-fixed biological tissue, 376
Sunzel, B.
—; Söderberg, T. A.; Johansson, A.; Hallmans, G.; Gref, R.: The protective effect of zinc on rosin and resin acid toxicity in human polymorphonuclear leukocytes and human gingival fibroblasts *in vitro*, 20
Suwa, Y. See Kawai, N., 1
Suzuki, K.
—; Nishiyama, N.; Nemoto, K.; Asakura, T.; Nakai, H.: Effects of *N*-methacryloyl-ω-amino acid primer pretreatment on the bond strength of the resin to acid-etched dentin, 261
Suzuki, M.
—; Fujishima, A.; Miyazaki, T.; Hisamitsu, H.; Ando, H.; Nakahara, M.; Yamamoto, M.; Itoh, K.: A study on adsorption structures of methacryloyloxyalkyl dihydrogen phosphates on silver substrates by infrared reflection absorption spectroscopy, 252

Tabata, S. See Okumura, M., 122
Takahashi, T. See Li, J.-S., 190
Takechi, M. See Miyamoto, Y., 457
Takeshita, F.
—; Ayukawa, Y.; Iyama, S.; Murai, K.; Suetsugu, T.: Long-term evaluation of bone–titanium interface in rat tibiae using light microscopy, transmission electron microscopy, and image processing, 235
Tamai, S. See Kamei, S., 384
—; See Okumura, M., 122
Tamura, J. See Kobayashi, M., 301
—; See Kobayashi, M., 68
Teófilo, J. M. See Carvalho, T. L. L., 449
Thomas, C. H.
—; McFarland, C. D.; Jenkins, M. L.; Rezania, A.; Steele, J. G.; Healy, K. E.: The role of vitronectin in the attachment and spatial distribution of bone-derived cells on materials with patterned surface chemistry, 81
—; See Rezania, A., 9
Toguchida, J. See Chang, Y.-S., 51
Toh, T. See Miyamoto, Y., 457
Tomihata, K.
—; Ikada, Y.: Crosslinking of hyaluronic acid with water-soluble carbodiimide, 243
Tomita, N. See Kamei, S., 384
Torabinejad, M. See Koh, E. T., 432
Trinkaus-Randall, V. See Wu, X. Y., 166
Truskey, G. A. See Sharkawy, A. A., 401
Tsuang, Y.-H. See Sun, J.-S., 324
Turunen, T. See Brink, M., 114

Ubrich, N.
—; Ngondi, J.; Rivat, C.; Pfister, M.; Vigneron, C.; Maincent, P.: Selective *in vitro* removal of anti-A antibodies by adsorption on encapsulated erythrocyte-ghosts, 155

Vacanti, J. P. See Mooney, D. J., 413
van der Heiden, A. P.
—; Goebbels, D.; Pijpers, A. P.; Koole, L. H.: A photochemical method for the surface modification of poly(etherurethanes) with phosphorylcholine-containing compounds to improve hemocompatibility, 282
van Oss, C. J. See Naim, J. O., 534
Vazquez, B. See Deb, S., 465
Vigneron, C. See Ubrich, N., 155

Wang, B. C. See Yang, C. Y., 335
Waters, C. M. See Rezania, A., 9
West, J. K.
—; Latour, R., Jr.; Hench, L. L.: Molecular modeling study of adsorption of poly-L-lysine onto silica glass, 585
Willems, G. M. See Blezer, R., 108
Williams, D. F. See Rhodes, N. P., 481
Williams, M. See Norman, T. L., 151
Wolke, J. G. C. See Yoshinari, M., 60
Wu, X. Y.
—; Trinkaus-Randall, V.: The expression of integrin subunits α6 and β4 by corneal epithelial cells on modified hydrogel surfaces, 166

Yamada, S.
—; Heymann, D.; Bouler, J.-M.; Daculsi, G.: Osteoclastic resorption of biphasic calcium phosphate ceramic *in vitro*, 346
Yamamoto, M.
—; Kato, K.; Ikada, Y.: Ultrastructure of the interface between cultured osteoblasts and surface-modified polymer substrates, 29
—; See Suzuki, M., 252
Yan, W.-Q.
—; Nakamura, T.; Kobayashi, M.; Kim, H.-M.; Miyaji, F.; Kokubo, T.: Bonding of chemically treated titanium implants to bone, 267

Yang, C. Y.
—; Lin, R. M.; Wang, B. C.; Lee, T. M.; Chang, E.; Hang, Y. S.; Chen, P. Q.: *In vitro* and *in vivo* mechanical evaluations of plasma-sprayed hydroxyapatite coatings on titanium implants: The effect of coating characteristics, 335
Yeo, E. L. See Gemmell, C. H., 176
Yli-Urpo, A. See Brink, M., 114
Yoshida, Y. See Miyamoto, Y., 457
Yoshii, E.
—; Cytotoxic effects of acrylates and methacrylates: Relationships of monomer structures and cytotoxicity, 517
Yoshinari, M.
—; Hayakawa, T.; Wolke, J. G. C.; Nemoto, K.; Jansen, J. A.: Influence of rapid heating with infrared radiation on RF magnetron-sputtered calcium phosphate coatings, 60
Yue, S. See Bourassa, P. L., 291

Zheng, J. See Li, J.-S., 190

Journal of Biomedical Materials Research
Subject Index—Volume 37

AB0 and D typing, 566
Accelerated cyclic tensile stress testing, 161
Acrylate, 517
Acrylic bone cement, 151
Adhesion, 166
Adjuvants, 534
Alumina coatings, 453
Alumina, 554
Alveolar wound healing, 449
AM1, 585
Amino acid, 585
Amorphous zone, 235
AN-69 dialysis membrane, 548
Anti-A antibodies, 155
Antibody response, 534
Antithrombin, 37
Apatite wollastonite-containing glass-ceramic (AWGC), 100
Artificial articular cartilage, 51
Artificial tear solutions, 207
Aryl azides, 282
ATR-FTIR, 525
AW glass–ceramic, 301
AW glass-ceramic, 68

β-TCP, 301
Bioabsorbable, 353
Bioactive bone cement, 68, 301
Bioactive composite, 440
Bioactive glass, 114, 363, 440
Bioactive glass–ceramic, 137
Bioactivity, 68, 301
Biochemical modification, 222
Biocompatibility, 100, 324, 394, 457, 548
Biodegradation, 243
Bioglass®, 394
Biomaterials, 151, 190, 474, 481
Biomechanical strength, 100
Bioprostheses, 376
Biphasic calcium phosphate ceramic, 346
Bis-GMA, 554
Blood–material interaction, 314
Bonding-strength, 335
Bone bonding, 267, 384
Bone cells, 9
Bone cement, 465
Bone marrow, 122
Bone, 235, 394, 457
Bonelike apatite, 267

C3d, 474
C5b-9, 474
Calcium phosphate cement, 457
Calcium phosphate, 60, 324
Capsules, 401
Carboxylic acid group, 261
Cartilage degeneration, 51
Cell adhesion, 9, 81, 198
Cell attachment, 137
Cell culture, 190, 346
Cell differentiation, 137
Chemical inactivators, 212
Chemical sterilization, 376
Chemical treatment, 267
Cholesteryl oleate, 207
Chondrocytes, 137
CNBr-purified, 497
^{13}C-NMR, 261
Coating, 60
CoCrMo alloy, 421
Collagen materials, 212
Collagen polymerization, 276
Complement activation, 229, 548
Complement, 474
Compliance, 573
Composite, 353, 554
Compositional dependence, 114
Confocal laser scanning microscopy, 539
Conformational, 497
Contact activation system, 37
Contact activation, 108
Corrosion, 421
Cortical bone, 161
Creep, 151, 525
Crosslinking agents, 465
Crosslinking characteristics, 376
Crosslinking, 243
Culture system, 1
Cytoprotection, 20
Cytotoxicity, 20, 517

Degradation rate, 376
Degradation, 161
Demineralized dentin, 261
Dentin primer, 261
Deposition of hydroxyapatite, 384
Diazeniumdiolate, 182
Differentiation, 508
Diffusion interface, 276
Diffusion, 401
Dioleoyl phosphatidylcholine, 207
Diopside, 100
Dissociated adsorption, 252
Double emulsion–evaporation, 155

Electron microscopy, 489
Epithelium, 166
Epoxy compound, 376
Erythrocyte-ghost, 155
Ethanol, 376
Excimer laser, 573

Factor XII, 37
Fast-setting, 457
Fatigue crack growth, 94
Fatigue, 291
Ferritic superalloy, 453
Fiber, 440
Fibrinogen adsorption, 314
Finger joint spacers, 94
Flow cytometry, 176, 481
Fracture stress, 161
Freeze-fracture, 489
FTIR, 43

γ-Aminopropyltriethoxysilane, 222
Glass reaction, 114
Glutaraldehyde, 376
Glutaraldehyde/buffer, 497
Glutaraldehyde/n-propanol, 497
Gold, 130
Graphite, 130

"Halo" effect, 440
Heat treatment, 60, 291
Hema hydrogel, 166
Heparin surface, 37
Hepatocytes, 413
High-molecular-weight kininogen, 314
Histometrics, 235
Histometry, 449
Human, 508

Hyaluronic acid, 243
Hydrogel, 548
Hydroxyapatite, 1, 122, 301, 457, 508
Hydroxyapatite-deposited surface, 29

iC3b, 474
Immobilization, 566
Immobilized fibronectin, 190
Immobilized heparin, 108
Immobilized insulin, 190
Immunoadsorption, 155
Immunohistochemistry, 122
Implant interface, 539
Implant, 60
Infrared reflection absorption spectroscopy, 252
In situ hybridization, 122
Integrin, 166
Interface, 353
Interleukin 1, 432
Interleukin 6, 432
In vitro, 137, 363, 539
in vitro analysis, 440
In vivo behavior, 114
in vivo, 539
IR spectra, 243

Joint replacements, 43

Laser scanning confocal microscope, 353
Long-term evaluation, 235
Lysine, 585
Lysozyme, 207

Macrophages, 481
Magnetic behavior, 453
Material surface property, 51
Material/cell interface, 29
Material-induced platelet activation, 176
MCP-1, 481
Mechanical properties, 68, 465, 554
Metal primer, 252
Methacrylate, 517
Microencapsulation, 155
Microgravity, 276
Microspheres, 182
Microstructure–property relationship, 291
Microtiter plates, 566
Mineral trioxide aggregate, 432
Mineralization, 1
Molecular orbital models, 585
Monomolecular layer, 252
Morphology, 489

Nanoparticles, 229
Nitric oxide, 182
N-Methacryloyl-ω-amino acid, 261
Nucleic acids, 212

Ocular implants, 525
Orthopedic biomaterials, 222
Orthopedic implants, 291
Orthopedics, 43, 384
Osteoblast, 1, 29, 324, 432, 508
Osteocalcin, 432
Osteoclast, 346
Osteoconduction, 554
Osteogenesis, 122, 508
Osteogenic cell (MC3T3-E1), 100
Oxidation, 43
Oxide, 421

Particle, 324
Passivation, 421
Pathological changes, 51
Peptide immobilization, 9
Permeability, 548
Phosphate cement, 457
Phosphorylcholine, 282
Photografting, 566
pKa, 261
Plasma deposition, 198
Plasma proteins, 130
Plasma treatment, 198
Plasma, 314
Platelet microparticle (MP) levels, 176
Platelets, 130
PMMA, 465
PMN-cells, 130
Polar/nonpolar interactions, 497
Poly(lactic acid), 229
Polyallylamine, 190
Polyethyleneimine, 182
Polylactic acid, 413
Polymer surface, 29
Polymers, 94, 384
Polyurethane resin, 449
Polyurethanes, 282, 314, 573
Porosity, 573
Portal vein, 413
Prion, 212
Proliferation, 508
Propylene oxide, 376
Prosthesis, 94, 151
Protein adsorption, 81, 229, 474
Protein immobilization, 222
Pure titanium, 235
Push-out measurement, 335

Rabbits, 525
Radiochemical study, 207
Resin acids, 20
Resorption, 346
Ricinus communis, 449
Rosin, 20

Scanning electron microscopy, 346, 539
Scratch test, 421
Sedimentation, 276
Sensors, 401
Shear-strength, 335
Silica, 68, 585
Silicone gels, 534
Simulated body fluid, 335
Soft-tissue reaction, 539
Solid phase, 566
Sputter, 60
Sterilization, 212
Structure, 517
Subcutaneous implants, 401
Substituent, 517
Surface activity, 114
Surface graft polymerization, 384
Surface modification, 81, 198, 222, 282
Surface reactions, 363
Surface-free energy, 198
Surgical implants, 453
Synthetic biopolymers, 548
Systemic heparin, 37

10-Methacryloyloxydecyl dihydrogen phosphate (M10P), 252
Tensile bond strength, 261
Tensile strength, 525
Tensile testing, 267
Thermal oxidation treatment, 453
Three-dimensional configuration, 1
Three-dimensional reconstruction, 539
Thrombin generation, 108
Ti-6Al-4V, 291
Time-dependent, 497
Tissue culture, 394
Tissue engineering, 9, 81, 413
Titanium implants, 267
Titanium, 198
Total joint replacement, 151
Transmission electron microscopy, 29
Transplantation, 413
Transport barrier, 401
Two-dimensional polyacrylamide gel electrophoresis, 229

UHMWPE, 43, 489
Uptake by contact lens materials, 207

Vascular grafts, 182, 573
Vitronectin, 81

Water-in-oil emulsion, 534
Water-soluble carbodiimide, 243
Wear debris, 489

Zinc, 20